


NOV 15 2006

Application No.: 09/652,360

Docket No.: 418268758US

**REMARKS****A. INTRODUCTION**

Claims 30-50 are pending. In the final Office Action mailed on October 5, 2006, the Examiner rejected claims 30-33, 35, 38-41, 43, and 46-49 under 35 U.S.C. § 103(a) over U.S. Patent No. 6,691,232 to Wood, et al. ("Wood") and U.S. Patent No. 6,728,884 to Lim; and rejected claims 34, 36-37, 42, 44-45, and 50 under 35 U.S.C. § 103(a) over Wood, Lim, and Applicant Admitted Prior Art (AAPA).


**B. APPLICANT'S TECHNIQUES**

Applicant's techniques are directed to determining an authentication methodology prior to a client requesting access to a server. A controlling client computer system provides (1) an instruction to a server. The instruction indicates an authentication methodology that is to be used to authenticate a client computer system. After the server has received this instruction from the controlling client computer system, the server may receive (2) an access request from the client computer system. After receiving an access request from the client computer system, the server authenticates (3) the client computer system using the authentication methodology indicated by the instruction received from the controlling client computer system.

Application No.: 09/652,360


Docket No.: 418268758US

## C. WOOD



Unlike applicant's techniques, Wood describes a client requesting (1) access to a server's applications and/or resources prior to determination of an authentication methodology (col. 7, lines 34-40). After a client has requested access to the server, the server, via a login component, provides (2) the client with a list of suitable authentication schemes, from which the client may select (col. 11, lines 34-38). The client then selects (3) an authentication scheme and the server authenticates the client using the selected scheme.

## D. LIM



Application No.: 09/652,360

Docket No.: 418268758US

Unlike applicant's techniques, Lim also describes a client requesting (1) access to a server prior to determination of an authentication methodology (col. 5, lines 18-23, 30-31, 45-49). After the client has requested access to the server, the access server requests (2) authentication of the client from the authentication and authorization server. The access server may transmit to the authentication and authorization server any authentication information received from the client, including user id, password, and a list of the remote security servers that can authenticate the user (col. 5, lines 63-67). The authentication and authorization server initially authenticates (3a) the client through use of the remote security server. Data received from a remote security server is stored (4c) in the registry server for later use (3b) by the authentication and authorization server for subsequent authentication of the client without having to use the remote security server. The remote security server manages authentication profiles of clients and may authenticate a user based on the user id and password supplied by the client (col. 4, lines 31-32). The registry server is a central repository that contains authentication profiles of clients, including user id and password (col. 6, lines 11-19). Once it receives (4a and 4b) a result from either the remote security server or the registry server, the authentication and authorization server returns (5) information to the access server that indicates whether the client is authorized and what are its access rights (col.5, line 67 – col. 6, line 3). Data representing the client's access rights is stored (6) in a cookie in the client's browser.

#### E. PRIOR ART REJECTIONS

Claims 30-50 stand rejected over Wood and Lim alone or in combination with AAPA, under 35 U.S.C. § 103(a). Applicant respectfully traverses this rejection.

All of the claims are directed to a server being provided with an instruction from a controlling client computer system (or controlling entity) prior to the server receiving a request from a client computer system (or client entity) to access a service of the server. In addition, all of the claims are directed to said instruction indicating an authentication

Application No.: 09/652,360

Docket No.: 418268758US

methodology, said authentication methodology being selected from multiple authentication methodologies. Claims 30-37 recite:

A method in a server computer of authenticating client computer systems, the method comprising:

receiving from a controlling client computer system an instruction that indicates an authentication methodology that is to be used to authenticate a client computer system ..., the authentication methodology being selected from multiple authentication methodologies ...;

after receiving the instruction, receiving a request from the client computer system to access a service of the server computer system; ...

Claims 38-45 recite:

A method in a controlling client computer system for providing indications of authentication methodologies to a server computer system, the method comprising:

generating an instruction that indicates an authentication methodology that is to be used to authenticate a client computer system ..., the authentication methodology being selected from multiple authentication methodologies ...; and

sending the generated instruction to the server computer system so that upon receiving a request from the client computer system to access a service of the server computer system after the instruction is received at the server computer system ....

Claims 46-50 recite:

A tangible computer-readable medium containing instructions for controlling a server computer system to authenticate entities, by a method comprising:

receiving from a controlling entity an instruction that indicates an authentication methodology that is to be used to authenticate an entity, the authentication methodology being selected from multiple authentication methodologies ...;

Application No.: 09/652,360

Docket No.: 418268758US

after receiving the instruction from the controlling entity, receiving a request from the entity to access a service of the server computer system; ...

Neither Wood nor Lim teaches or suggests a server being provided with an instruction from a controlling client computer system (or controlling entity) prior to the server receiving a request from a client computer system (or client entity) to access a service of the server. In contrast, Wood and Lim both describe a client first requesting access to a server (Wood, col. 7, lines 34-40; Lim, col. 5, lines 18-23, 30-31, 45-49). The Examiner believes that Wood does not require a client to first request access to a server. The Examiner stated:

Wood did not explicitly disclose the access request is received after the authentication instruction, however, Wood does state it is not necessary for the user to request access before determining suitable authentication methods (see col 11 lines 23-29). This implies the claimed order because requesting access to a resource is necessary before accessing the resource.

Wood does describe a situation in which a user does not request access to any particular information resource:

If there is no particular resource for which access is being requested (e.g., if a user jumps straight to a sign-on page without requesting an access), the service will proceed according to the lowest level of trust available consistent with session environment.

(col. 11, lines 23-28, emphasis added). However, in such a case, the user is still requesting access to the "service" of the server. Wood defines access as "presenting a URL to gatekeeper/entry handler component, which acts as a point of entry for client entities requesting applications and/or resources controlled by the security architecture" (col. 7, lines 34-40). When the client submits the URL of the sign-on page, it is requesting access to the service of the server, even if not to a particular information resource. Because the client has not yet requested an information resource, for which there is an associated trust level, the server may proceed to its service according to the lowest level of trust (col. 11, lines 23-29). Further, under Wood the authentication methodology cannot be chosen prior to a client requesting access, because the client must select an

Application No.: 09/652,360

Docket No.: 418268758US

authentication methodology from a list of suitable methodologies provided to it by the server (via the login component) (col. 11, lines 34-51). This must necessarily occur after a client has requested access to the server, establishing communication with the server. Thus, Wood does not teach or suggest after receiving an instruction that indicates the authentication methodology, receiving or sending "a request ... to access a service."

Like Wood, but unlike applicant's techniques, Lim describes a user first requesting access to a server (col. 5, lines 18-23, 30-31, 45-49). In addition, Lim does not disclose selecting an authentication methodology from multiple authentication methodologies based on the abilities and access rights of the client. Lim describes use of only *one* authentication methodology, one that is based on user id and password. The Examiner stated that "Lim disclosed a Registry Server containing information on how a user should be authenticated." However, this information is simply an authentication profile that may include user id, password, and a list of the remote security servers that can authenticate the user (col.6, lines 12-19). Lim uses the user id and password provided by a client to determine, using a single authentication methodology (whether via a remote security server or the registry server), the access rights had by the user. Lim describes access rights that are established as a result of the authentication process, in contrast to applicant's techniques, which are directed to a client's access rights assisting in determining the authentication methodology selected. Thus, Lim does not teach or suggest selecting an authentication methodology from multiple authentication methodologies based on the abilities and access rights of the client; nor does Lim teach or suggest after receiving an instruction that indicates the authentication methodology, receiving or sending "a request ... to access a service."

Based on the foregoing, all of the claims are patentable.

## F. CONCLUSION

Application No.: 09/652,360

Docket No.: 418268758US

In view of the above remarks, applicant believes the pending application is in condition for allowance and respectfully requests reconsideration. If the Examiner has any questions or believes a telephone conference would further expedite prosecution of this application, the Examiner is encouraged to call the undersigned at (206) 359-8548.

Dated: \_\_\_\_\_

Respectfully submitted,

By \_\_\_\_\_  
Maurice J. Pirio  
Registration No.: 33,273  
PERKINS COIE LLP  
P.O. Box 1247  
Seattle, Washington 98111-1247  
(206) 359-8548  
(206) 359-9548 (Fax)  
Attorney for Applicant